
# Paint mist exhaust wall – SUPERMAX



Compact extraction for you and the environment







# Compact extraction for you and the environment

Legal regulations are getting stricter and we are becoming more and more sensitive regarding our environment. A paint shop without contamination and working conditions that do not harm the people who work there, should be todays standard.

SUPERMAX developed by Schuko is an paint mist exhaust wall, available at a sensational price. Due to its solid and compact design with low depth, the SUPERMAX is the perfect solution for small an mid-sized enterprises and suitable for direct installation on the wall.

For special applications, such as a heat exchanger or extended exhaust air ducts, we offer the SUPERMAX II with a stronger drive motor<sup>2</sup>.

#### The Schuko effect

The installation of the extension element\* (option Art. No. 519770 gray area), increases the extracted work arear considerably.

With little effort, a cost-effective, larger exhaust area is at your service.

- \* Extension of exhaust area for "SUPERMAX", 3 sides, 45°, width 350mm, Art. No. 519770
- 3) The fan is mounted to the right side of the extraction wall (left site installation optional). Please note the leave space between the wall an the electric motor, to ensure sufficient ventilation.

#### High quality made by Schuko

Not only the price of the Schuko SUPERMAX is an worth mentioning. Despite the excellent price you also benefit from the high Schuko product quality.

Even if you only occasionally carry out paint jobs, there is no longer any need to go without an ink mist exhaust wall due to high costs or the lack of space. Schuke SPENAR

Schuko SUPERMAX with water pan Art.-No. 517400 ramp for water basins Art.-No. 517410

## Clean work has never been so economical!




Schuko SUPERMAX – in solid and compact design with low depth – the perfect solution for small rooms and shops, even suitable for direct installation on the wall.




Easy access ensures quick, trouble-free replacement of the inexpensive filter material.



Sideview Schuko SUPERMAX





Technical data	SUPERMAX	SUPERMAX II 2)
	ArtNo. 519700	ArtNo. 519780
Dimensions L/W/H:	2,700 x 800 x 1,840 mm	2,750 x 800 x 1,840 mm
Motor speed:	2,905 rpm (single-stage)	2,915 rpm (single-stage)
Protection class:	ATEX Zone 2/3G/T3	ATEX Zone 2/3G/T3
Power consumption:	. 2.2 kW	3.3 kW
Weight:	. 195	203
Mains voltage:	3 Ph ≈ 400 V, 50 Hz	identical
Nominal volume flow rat	e:5,500 m³/h	6,400 m <sup>3</sup> /h
Max. volume flow rate	:.7,650 m³/h (free blowing)	identical
baffle surface:	. 3.2 m <sup>2</sup>	identical
Covered surface L/H:	. 2,230 x 1,830 mm	identical
Exhaust air pipe:	. 350 mm Ø	350 mm Ø
Top edge of the fan:	1,600 mm	identical
accessories ArtNo:Cardboard filter mat (baffle surface): 2,000 x 1,700 x 65 mm		
519710	(1 set = 10 running meters 1,000 mm and 700 mm high), DGUV-I-209-046	
527750 <b>Filter mat</b> (interior): 2,300 x 1,500 mm ISO ePM10 50 % (1 piece)		
517120 <b>Filter mat</b> (interior): 2,300 x 1,500 x 50 mm thick green white (1 piece)		
517400 <b>Water trough with grating</b> : 2,760 x 2,020 x 50 mm L/W/H		
517300	Spray stand height: 850 mm	
519770 Suction area expansion 3 sides, 45°, width 350 mm		

### All advantages at a glance

- ☑ Effective exhaust performance
- ✓ Integrated air regulating damper enables manual adjustment to local conditions and defuming operation
- Plug-in design, including 7 m of cable and motor circuitbreaker
- Easy access ensures quick, trouble-free replacement of the inexpensive filter material.
- ☑ High separation degree due to primary and secondary filters
- ✓ Low depth of only 800 mm
- ✓ Low-maintenance
- ☑ Simple assembly
- ☑ Using filter material according to DGUV-I-209-046
- Preparation for connection of Schuko water troughs
- Comprehensive service for quick and qualified product support
- 3-fold filtration of over-spray, thus long service life of exhaust wall with maximum environmental protection

**SUPERMAX** – that is Schuko quality at a sensational price



# Fascination of color - due to an excellent job!



Schuko International GmbH & Co. KG

+49 (0) 33731 / 77 77 94 or 95 international@schuko.com

www.schuko.com